



UNITED STATES PATENT AND TRADEMARK OFFICE

cr

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/644,701	08/20/2003	Christer A. Sjogren	QUI-PT018	6699
3624	7590	12/19/2005	EXAMINER	
VOLPE AND KOENIG, P.C. UNITED PLAZA, SUITE 1600 30 SOUTH 17TH STREET PHILADELPHIA, PA 19103			BUI-PHO, PASCAL M	
			ART UNIT	PAPER NUMBER
			2878	

DATE MAILED: 12/19/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Response to Rule 312 Communication	Application No.	Applicant(s)	
	10/644,701	SJOGREN, CHRISTER A.	
	Examiner	Art Unit	
	Pascal M. Bui-Pho	2878	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

1. ☒ The amendment filed on 17 October 2005 under 37 CFR 1.312 has been considered, and has been:

a) ☐ entered.

b) ☒ entered as directed to matters of form not affecting the scope of the invention.

c) ☐ disapproved because the amendment was filed after the payment of the issue fee.


Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.

d) ☐ disapproved. See explanation below.

e) ☐ entered in part. See explanation below.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pascal M. Bui-Pho whose telephone number is (571) 272-2714. The examiner can normally be reached on Monday through Friday: 8:30 a.m. - 5:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps can be reached on (571) 272-2328. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


 Georgia Epps
 Supervisory Patent Examiner
 Technology Center 2800